

# SAFETY DATA SHEET

Revision Date 07/17/2018

### 1. PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifiers

Product Name : Trap Sorbent

Product Number : 225-22-02 Brand : SKC Inc.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified Uses : Impinger Traps

1.3 Details of the supplier of the safety data sheet

Company : SKC, Inc.

863 Valley View Rd. Eighty Four, PA 15330

USA

Telephone : 724-941-9701; 800-752-8472 (Mon - Fri, 8:30 a.m. - 5:00 p.m. EST)

Fax : 724-941-1369 (Mon-Fri, 8:30 a.m. - 5:00 p.m. EST)

1.4 Emergency telephone number

Emergency Phone # : CHEMTREC at 800-424-9300 (U.S./Canada); 703-741-5970 (Global)

### 2. HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

The substance is not classified according to the Globally Harmonized System (GHS).

### 2.2 Label elements

GHS label elements: None
Hazard pictograms: None
Signal word: None
Hazard statements: None
Classification system: NFPA ratings (scale 0 - 4)



Health = 1 Fire = 1 Reactivity = 0

# • HMIS-ratings (scale 0 - 4)



Health = 1 Fire = 1 Reactivity = 0

# 2.3 Other hazards

The product is very adsorbent and may have a drying effect on skin and eyes.

When exceeding the OEL (Occupational Exposure Limit) a mechanical overburdening of the respiratory system is possible.

**EMERGENCY OVERVIEW:** Contact may cause eye irritation. Dust may be slightly irritating to eyes and respiratory tract. **CAUTION!** Wet activated carbon removes oxygen from air causing a severe hazard to workers inside carbon vessels and enclosed or confined spaces. Before entering such an area, sampling and work procedures for low oxygen levels should be taken to ensure ample oxygen availability, observing all local, state, and federal regulations.

#### **POTENTIAL HEALTH EFFECTS:**

Effects and Hazards of Eye Contact: The physical nature of the product may produce eye irritation.

Publication 1978 Issue 1807 Page 1 of 8

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Substances

#### **Hazardous components**

Component	CAS-No	% by Weight
Amorphous silicon dioxide, chemically prepared	7631-86-9	50
Carbon	7440-44-0	50

#### 4. FIRST AID MEASURES

- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin. Wash with water.
- After eye contact: Flush opened eye with large quantities of running water for at least 30 minutes. If symptoms occur, consult a doctor.
- After swallowing: Seek medical attention. Do not induce vomiting.
- Most important symptoms and effects, both acute and delayed: No further relevant information available
- Indication of any immediate medical attention and special treatment needed: No further relevant information available

#### 5. FIREFIGHTING MEASURES

- **5.1 Suitable extinguishing agents:** Flood with plenty of water.
- **5.2 Hazardous combustion products:** Contact with strong oxidizers such as ozone, liquid oxygen, chlorine, permaugauate, etc., may result in fire.
- **5.3 Protective equipment:** Wear personal protective equipment.
- **5.4** Additional information: Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

#### 6. ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures:

Wear protective clothing.

### 6.2 Environmental precautions:

Keep contaminated washing water and dispose of appropriately.

Damp down dust with water spray.

### 6.3 Methods and material for containment and cleaning up:

Vacuuming or wet sweeping may be used to avoid dust dispersal.

**6.4** Reference to other sections: No dangerous substances are released.

Dispose of in accordance with local, state, and federal regulations.

### 7. HANDLING AND STORAGE

### 7.1 Precautions for safe handling:

Prevent formation of dust.

Keep receptacles tightly sealed.

Provide suction extractors if dust is formed.

Use appropriate industrial vacuum cleaners or central vacuum systems for dust removal.

Take precautionary measures against static discharges.

- 7.2 Precautions for Handling and Storage: CAUTION! Wet activated carbon removes oxygen from air causing a severe hazard to workers inside carbon vessels and enclosed or confined spaces. Before entering such an area, sampling and work procedures for low oxygen levels should be taken to ensure ample oxygen availability, observing all local, state, and federal or national regulations.
- 7.3 Other precautions: Wash thoroughly after handling. Exercise caution in the storage and handling of all chemical substances.

#### 7.4 Information about protection against explosions and fires:

When transferring this material into flammable solvents, use proper grounding to avoid static electric sparks. The product is flammable.

Conditions for safe storage, including any incompatibilities:

Storage:

Publication 1978 Issue 1807 Page 2 of 8

Requirements to be met by storerooms and receptacles: No special requirements

Information about storage in one common storage facility: Store away from foodstuffs.

#### Further information about storage conditions:

Keep receptacle tightly sealed. Store in dry conditions. This product is hygroscopic.

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### **8.1** Additional information about design of technical systems: No further data; see item 7

#### 8.2 Components with limit values that require monitoring at the workplace

7631-86-9 amorp	hous silicon dioxide, chemically prepared
IDLH	Short-term value: 3000 mg/m³ IDLH: Immediately Dangerous to Life or Health
PEL	Long-term value: 80/%SiO2 mg/m³ OSHA TWA for amorphous silica
REL	Long-term value: 6 mg/m³ NIOSH TWA
TLV	Long-term value: 10* 5** mg/m³ ACGIH TWA *Total dust **Respirable fraction

7440-44-0 carbor	7440-44-0 carbon	
OSHA PEL*	5 mgiM3 (Respirable)	
ACGIH TLV* 10 mgiM3 (Total)		
*PELs and TLVs are 8	*PELs and TLVs are 8-hour TWAs unless otherwise noted.	

Respiratory protection: A NIOSH-approved particulate filter respirator is recommended if excessive dust is generated.

Ventilation: Local Exhaust Ventilation: Recommended

**Mechanical ventilation:** Recommended **Protective gloves:** Recommended

Eye protection: Safety glasses or goggles recommended

Other protective equipment: Not required

#### **8.3** Additional information: Valid lists at time of creation were used as basis.

### 8.4 Exposure controls:

### Personal protective equipment:

### General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

### **Protection of hands:**

Protective gloves

Wear gloves for the protection against mechanical hazards.

Check protective gloves prior to each use for their proper condition.

Check the permeability prior to each new use of the glove.

Selection of the glove material on consideration of the penetration times, rates of diffusion, and the degradation Use gloves of stable material (e.g., nitrile)

#### Material of gloves:

Butyl rubber, BR Nitrile rubber, NBR

**Recommended thickness of the material:** ≥ 0.11 mm

For the permanent contact in work areas without heightened risk of injury (e.g., laboratory), gloves made of the following material are suitable:

Butyl rubber, BR Nitrile rubber, NBR

For the permanent contact, gloves made of the following materials are suitable:

Butyl rubber, BR Nitrile rubber, NBR

Publication 1978 Issue 1807 Page 3 of 8

Not suitable are gloves made of the following materials: Strong fabric gloves

Eye protection: Safety glasses Body protection:

# Body protection:

Protective work clothing

# 9. PHYSICAL AND CHEMICAL PROPERTIES

# 9.1 Information on basic physical and chemical properties:

**General Information** 

Form: powder

Color: black

b) Odor

Odorless

c) Odor Threshold

a) Appearance

Not available

d) pH-value at 68 F (20 C)

Not available

e) Melting point/Melting rangef) Boiling point/Boiling range

Not available

g) Flash point

Not available Not available

h) Flammability (solid, gaseous)

Product is flammable

i) Ignition temperature

Not available

j) Decomposition temperature

Not available

k) Auto igniting

Product is not self-igniting.

I) Danger of explosion

Product does not present an explosion hazard.

m) Explosion limits

Lower: Not determined Upper: Not determined

opper. Not detern

n) Vapor pressure at 68 F (20 C)

Not available

o) Density at 68 F (20 C)

Not available

p) Bulk density at 68 F (20 C)

Not available

q) Vapor density

Not applicable

r) Evaporation rate

Not applicable

s) Solubility in/miscibility with water

Not available

t) Coefficient of water/oil distribution

Not available

u) Viscosity:

Dynamic at 68 F (20 C)

Not available

### 9.2 Other information:

No further relevant information available.

# 10. STABILITY AND REACTIVITY

10.1 Stability: STABLE

10.2 Conditions to avoid: None

- 10.3 Incompatibility (materials to avoid): Strong oxidizers such as ozone, liquid oxygen, chlorine, permanganate, etc.
- **10.4** Hazardous decomposition products: Carbon monoxide may be generated in the event of a fire.
- 10.5 Polymerizing conditions to avoid: NONE

Publication 1978 Issue 1807 Page 4 of 8

# 11. TOXICOLOGICAL INFORMATION

### 11.1 Information on the likely routes of exposure:

Delayed and immediate effects and chronic effects from short or long term exposure

### 11.2 Information on toxicological effects:

### **Acute toxicity**

LD/LC50 values that are relevant for classification:		
7631-86-9 amorphous silicon dioxide, chemically prepared		
Oral	LD50	> 5000 mg/kg (rat) (OECD 401)
Dermal	LD50	> 6000 mg/kg (rabbit) (no guidance available)
Inhalative	LC0	> 140 to > 2000 mg/m³/4h (rat) (OCED 403) Maximum attainable concentration, mortality does not appear

### Primary irritant effect

On the skin:				
7631-86-9 amorpho	us silicon dioxid	e, chemically prepared		
Irritation of skin	ation of skin IS 0 (rabbit) (OECD 404)			
0 1/2				

On the eye:				
7631-86-9 amorphous silicon dioxide, chemically prepared				
Irritation of eyes	on of eyes IS 0 (rabbit) (OECD 405)			

Respiratory sensitization: No further relevant information available.

Skin sensitization: No further relevant information available.

Additional toxicological information:

#### Carcinogenic categories:

- IARC (International Agency for Research on Cancer) 7631-86-9 amorphous silicon dioxide, chemically prepared 3
- NTP (National Toxicology Program): Substance is not listed.
- OSHA-Ca (Occupational Safety & Health Administration): Substance is not listed.

### Repeated dose toxicity

7631-86-9 amorphous silicon dioxide, chemically prepared		
Oral	NOAEL (90 d) 9000 mg/kg bw/day (rat) (OECD 408)	
Inhalative	NOAEC (90 d)	1 mg/m³ (rat) (OECD 413)

# CMR effects (carcinogenity, mutagenicity and toxicity for reproduction):

- Carcinogenicity No further relevant information available.
- Mutagenicity

7631-86-9 amorphous silicon dioxide, chemically prepared	
AMES Test	> 5 mg/plate (in-vitro) (OECD 471) negative, with and without metabolic activation ECHA 2012

#### · Reproductive toxicity

7631-86-9 amorphous silicon dioxide, chemically prepared		
Oral	NOAEL (maternal toxicity) NOAEL (teratogenicity)	1350 mg/kg bw/day (rat) (OECD 414) 1350 mg/kg bw/day (rat) (OECD 414)

Specific target organ toxicity (single exposure): No further relevant information available

Specific target organ toxicity (repeated exposure): No further relevant information available

Aspiration hazard: No further relevant information available

Publication 1978 Issue 1807 Page 5 of 8

### 7440-44-0 Carbon

**EMERGENCY OVERVIEW:** Black particulate solid, pellet, or powder. Contact may cause eye irritation. Dust may be slightly irritating to eyes and respiratory tract.

**CAUTION!** Wet activated carbon removes oxygen from air causing a severe hazard to workers inside carbon vessels and enclosed or confined spaces. Before entering such an area, sampling and work procedures for low oxygen levels should be taken to ensure ample oxygen availability, observing all local, state, and federal regulations.

#### **POTENTIAL HEALTH EFFECTS:**

Effects and Hazards of Eye Contact: The physical nature of the product may produce eye irritation.

**Effects and Hazards of Skin Contact:** The product is not a primary skin irritant. The primary skin irritation index (Rabbit) is 0.

Effects and Hazards of Inhalation (Breathing): The product is practically non-toxic through inhalation. The acute inhalation LC50 (Rat) is > 64.4 mg/1 (nominal concentration) for activated carbon.

**Effects and Hazards of Ingestion (Swallowing):** The product is non-toxic through ingestion. The acute oral LD50 (RAT) is > 10 g/kg.

Primary Routes of Entry: Inhalation, ingestion, skin contact, eye contact

**Chronic Effects:** The effects of long-term, low-level exposures to this product have not been determined. Safe handling of this material on a long-term basis should emphasize the avoidance of all effects from repetitive acute exposures.

CARCINOGENICITY: NTP: N/A IARCO: N/A OSHA REGULATED: NO

### 12. ECOLOGICAL INFORMATION

### 12.1 Toxicity:

### **Aquatic toxicity**

Fish toxicity		
7631-86-9 amorph	ous silicon dioxide, chemically prepared	
LC0 (96 h) (static) 10000 mg/l (zebra fish) (OECD 203)		
Water flea toxicity		
7631-86-9 amorph	ous silicon dioxide, chemically prepared	
EC50 (24 h) > 1000 mg/l (Daphnia magna) (OECD 202)		
Algae toxicity		
7631-86-9 amorph	ous silicon dioxide, chemically prepared	
EC50 (72 h) > 10000 mg/l (Scenedesmus subspicatus) (OECD 201)		

#### 12.2 Persistence and degradability:

No further relevant information available

12.3 Other information: Amorphous silica dioxide is chemically and biologically inert.

comparable substance

By the insolubility in water there is a separation at every filtration and sedimentation process.

- **12.4** Bioaccumulative potential: Does not accumulate in organisms
- **12.5 Mobility in soil:** No further relevant information available

### 12.6 Results of PBT and vPvB assessment:

**PBT:** Not applicable **vPvB:** Not applicable

12.7 Other adverse effects: No further relevant information available

Publication 1978 Issue 1807 Page 6 of 8

### 13. DISPOSAL CONSIDERATIONS

#### 13.1 Recommendation:

Disposal must be made according to official regulations.

Whatever cannot be saved for recovery or recycling should be managed in an appropriate and approved waste disposal facility. Processing, use, or contamination of this product may change the waste management options. State and local disposal regulations may differ from federal disposal regulations. Dispose of container and unused contents in accordance with federal, state, and local requirements.

#### 14. TRANSPORT INFORMATION

### 14.1 UN-Number - DOT, ADR, ADN, IMDG, IATA: None

UN proper shipping name - DOT, ADR, ADN, IMDG, IATA: None

Transport hazard class(es) - DOT, ADR, ADN, IMDG, IATA Class: None

Packing group - DOT, ADR, IMDG, IATA: None

Environmental hazards: Not applicable

Special precautions for user: Not applicable

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code: Not applicable

Transport/Additional information: Not dangerous according to the above specifications

GRACE recommendation for air transport: Cargo aircraft only

#### 15. REGULATORY INFORMATION

#### 15.1 Safety, health, and environmental regulations/legislation specific for the substance or mixture:

### 7740-44-0 Carbon SARA TITLE III: N/A

TSCA: The ingredients of this product are on the TSCA Inventory List.

**OSHA:** Non-hazardous according to definitions of health hazard and physical hazard provided in the Hazard Communication Standard (29 CFR 1910.1200)

CANADA WHMIS CLASSIFICATION: Not Classified

**DSL#:** 6798

EEC: Council Directives relating to the classification, packaging, and labeling of dangerous substances and preparations

Risk (R) and Safety (S) phrases: May be irritating to eyes (R36).

### 7631-86-9 amorphous silicon dioxide, chemically prepared

#### SARA 302/304:

Substance is not listed.

# **SARA 313:**

Substance is not listed.

### **TSCA (Toxic Substances Control Act):**

Substance is listed.

### **Proposition 65:**

Chemicals known to cause cancer:

Substance is not listed.

### Chemicals known to cause reproductive toxicity for females:

Substance is not listed.

Publication 1978 Issue 1807 Page 7 of 8

#### Chemicals known to cause reproductive toxicity for males:

Substance is not listed.

### Chemicals known to cause developmental toxicity:

Substance is not listed.

#### Carcinogenic categories:

# EPA (Environmental Protection Agency):

Substance is not listed.

### TLV (Threshold Limit Value established by ACGIH):

Substance is not listed.

### NIOSH-Ca (National Institute for Occupational Safety and Health):

Substance is not listed.

#### Canadian DSL:

7631-86-9 amorphous silicon dioxide, chemically prepared

#### Canadian NDSL:

Substance is not listed.

### European EINECS:

Substance is listed.

### Philippines Inventory of Chemicals and Chemical Substances PICCS:

Substance is listed.

### Inventory of the Existing Chemical Substances manufactured or imported in China IECSC:

Substance is listed.

### **Australian Inventory of Chemical Substances AICS:**

Substance is listed.

### **Existing and New Chemical Substance List ENCS:**

7631-86-9 amorphous silicon dioxide, chemically prepared 1-548

### **Korean Existing Chemical Inventory KECI:**

7631-86-9 amorphous silicon dioxide, chemically prepared KE-31032

GHS label elements: None

Hazard pictograms: None

Signal word: None

Hazard statements: None

# **16. OTHER INFORMATION**

#### **HMIS Rating**

Health Hazard: 1
Fire Hazard: 1
Reactivity Hazard: 0

# **NFPA Rating**

Health Hazard: 1
Fire Hazard: 1
Reactivity Hazard: 0

#### **Disclaimer**

For approved uses only. Not for drug, household, or other uses.

The above information is believed to be correct but does not purport to be all-inclusive and shall be used only as a guide. SKC Inc. shall not be held liable for any damage resulting from handling or from contact with the above product.

Latest Change(s): Updated SDS to bring into compliance with the GHS

Last Update: July 2018

Publication 1978 Issue 1807 Page 8 of 8